









#### **Curved visor**

Our visors are made with a technology that maintains a proper curved shape at all times.



#### Hook&loop closure

Adjustable back closure with hook&loop strap, suitable for any fit.



#### Structured front panel

Bonded fabric for a structured construction that keeps the shape with a slightly higher crown.

# **START FIVE**

The 5 panels cap in 100% light cotton, suitable for any events and promotional world. Back hook-and-loop closure.

## **Technical details**

Closure: Hook-and-loopclosure Composition: 100% cotton

Eyelets: 4 Sewn eyelets on side and back Fabric: Main Fabric: 100% Cotton Twill

Made in: China Main fabric weight: 165 gsm

Others: Button Packing: 50 x 200 pcs

Panels: 5 Panels Product weight kg: 0,060

Size: One size fits all Visor: 6 rows / Curved Visor

Circumference: 58.5 cm Customs code: 6505.00.30

#### Where to customize

Centimeters

	Front	Back	Closure	Right	Left
Print	12 x 6	-	6 x 1,2	6 x 5	6 x 5
Embroidery	12 x 6	8 x 3,5	3 x 1	10 x 6	10 x 6
Heat transfer	8 x 6	-	-	6 x 4	6 x 4

# **Washing instruction**



Hand wash/ do not bleach/ do not dry by tumble dryers/ dry flat/ do not iron/ do not dry clean/ do not professional wet clean

# Color variants (TPX / Pantone)

#### WHITE-NAVY



BILL: 19-4015 / 532-C UNDERBILL: 19-4015 / 532-C CROWN: 11-0601 / WHITE

## **NAVY-YELLOW**



**BILL**: 14-0957 / 7548-C **UNDERBILL**: 14-0957 / 7548-C **CROWN**: 19-4015 / 532-C

## **ORANGE**



**HAT:** 16-1257 / 1575-C

## LIGHT-BLUE



**HAT:** 15-4319 / 542-C

# WHITE



HAT: 11-0601 / WHITE

# **BURGUNDY**



**HAT:** 19-1725 / 7421-C

# **CAMOUFLAGE**



HAT: / 424-C

# YELLOW



**HAT:** 14-0957 / 7548-C

# **GREY**



HAT: 17-1502 / COOL-GRAY-8-C

# **LIGHT-GREY**



HAT: 15-4502 / 407-C

# KHAKI



HAT: 16-1320 / 2312-C

## **BROWN**



HAT: 19-0844 / 7533-C







HAT: 19-4015 / 532-C







HAT: 19-1763 / 200-C





**PINK** 

**HAT:** 13-2010 / 707-C

**ROYAL** 

**HAT:** 19-4027 / 655-C

**BOTTLE-GREEN** 



**HAT:** 19-5513 / 567-C

**GREEN** 



HAT: 17-6030 / 2418-C